CapillaryScope 500

Brand: Dino-Lite Medical Product Code: MEDL4N5



Short Description

1.3 Megapixel resolutionFor inspection of capillary vessels500x MagnificationMedical Device Class 1

Description

The CapillaryScope 500 (MEDL4N5) is a special version intended for looking at the microcirculation (microcapillar function) under nails. It is very easy to capture and store highly detailed magnified images. The magnification rate is 500x.



Lighting	
Light/ LED type	White
Number of LEDs	8
LED on/off switchable:	Yes

Infrared filter	IR cut-filter >650 nm
Diffuser available	No
Polarizer	No
Optics	
Magnification	500x
Lens type	Glass with anti-reflection coating
Sensor	Shuss while and Terreetion counting
Sensor type	CMOS
Resolution	1.3 Megapixel (1280x1024)
Maximum frame rate	30 fps
Compatibility	5 6 1 p 5
Interface	USB 2.0
Operating system	Windows 7, 8, 10 & 11, MacOS 10.9 and up
Included software	DinoCapture 2.0 (Windows), DinoXcope (Mac
	OS)
Supported image formats	BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA,
(Windows)	PCX, MNG, WBMP, JP2, JPC, PGX
Supported video formats	WMV, FLV, SWF
(Windows)	
Supported image formats	JPEG, PNG
(MacOS)	
Supported video formats (MacOS)	MOV
Imaging standards	DirectShow, UVC
Housing	
Housing material	Composite/plastic housing
Magnification lock	Yes
Dimensions	10.5cm (L) x 3.2cm (D)
Weight	95 g
Cable length	1.8m
Features	
Special feature	No
Measurement	No
Calibration	No
Microtouch sensor	Yes
Information	
Package contents	Microscope, carry pouch, software CD, user
	manual
Warranty information	2 years European warranty
Regulatory approval	Medical Device Class 1 – Medical Devices
	Regulation (EU) 2017/745
Price range	€400,00 - €600,00

Product Gallery

